

Harm Reduction Psychotherapy Toolkit:

Evidence-Based Practices to Help People Change Their Relationship with Drugs

References

1. Allison C. Kelly, David C. Zuroff, Clare L. Foa, and Paul Gilbert (2010). Who Benefits from Training in Self-Compassionate Self-Regulation? A Study of Smoking Reduction. *Journal of Social and Clinical Psychology*: Vol. 29, No. 7, pp. 727-755. <https://doi.org/10.1521/jscp.2010.29.7.727>.
2. Bohus M., Dyer A. S., Priebe K., Krüger A., Kleindienst N., Schmahl C., et al. . (2013). Dialectical behaviour therapy for post-traumatic stress disorder after childhood sexual abuse in patients with and without borderline personality disorder: a randomised controlled trial. *Psychother. Psychosom.* 82, 221–233. 10.1159/000348451
3. Bowen, S., Witkiewitz, K., Clifasefi, S. L., Grow, J., Chawla, N., Hsu, S. H., . . . Larimer, M. E. (2014). Relative Efficacy of Mindfulness-Based Relapse Prevention, Standard Relapse Prevention, and Treatment as Usual for Substance Use Disorders. *JAMA Psychiatry*, 71(5), 547. doi:10.1001/jamapsychiatry.2013.4546
4. Carroll, K. M., & Onken, L. S. (2005). Behavioral Therapies for Drug Abuse. *American Journal of Psychiatry*, 162(8), 1452-1460. doi:10.1176/appi.ajp.162.8.1452
5. Chiesa, A., & Serretti, A. (2013). Are Mindfulness-Based Interventions Effective for Substance Use Disorders? A Systematic Review of the Evidence. *Substance Use & Misuse*, 49(5), 492-512. doi:10.3109/10826084.2013.770027
6. Cook DR. Measuring shame: (1987). The Internalized Shame Scale. *Alcoholism Treatment Quarterly*. 4:197–215.
7. Cynthia L.Phelps, Samantha M.Paniagua, Irmgard U.Willcockson, Jennifer S.Potter. (2018) The relationship between self-compassion and the risk for substance use disorder. *Drug and Alcohol Dependence* 183, 78-81. Online publication date: 1-Feb-2018.
8. Dearing RL, Stuewig J, Tangney JP. (2005). On the importance of distinguishing shame from guilt: Relations to problematic alcohol and drug use. *Addictive Behaviors*. 30:1392–1404. doi: 10.1016/j.addbeh.2005.02.002.
9. DeVito, E. E., Worhunsky, P. D., Carroll, K. M., Rounsaville, B. J., Kober, H., & Potenza, M. N. (2012). A preliminary study of the neural effects of behavioral therapy for substance use disorders. *Drug and alcohol dependence*, 122(3), 228-235.
10. Dimeff L. A., Linehan M. M. (2008). Dialectical behavior therapy for substance abusers. *Addict. Sci. Clin. Pract.* 4, 39–47. 10.1151/ascp084239

11. Dutra, L., Stathopoulou, G., Basden, S. L., Leyro, T. M., Powers, M. B., & Otto, M. W. (2008). A meta-analytic review of psychosocial interventions for substance use disorders. *American Journal of Psychiatry*, *165*(2), 179-187.
12. Fassbinder, E., Schweiger, U., Martius, D., Brand-de Wilde, O., & Arntz, A. (2016). Emotion Regulation in Schema Therapy and Dialectical Behavior Therapy. *Frontiers in Psychology*, *7*, 1373. <http://doi.org/10.3389/fpsyg.2016.01373>
13. Garland, E., Howard, M., Priddy, S., McConnell, P., Riquino, M., & Froeliger, B. (2016). Mindfulness training applied to addiction therapy: Insights into the neural mechanisms of positive behavioral change. *Neuroscience and Neuroeconomics*, *Volume 5*, 55-63. doi:10.2147/nan.s89257
14. Gifford EV, Kohlenberg BS, Hayes SC, Antonuccio DO, Piasecki MM, Rasmussen-Hall ML, Palm KM. (2004). Applying a functional acceptance based model to smoking cessation: An initial trial of acceptance and commitment therapy. *Behavior Therapy*. *35*:689–705. doi: 10.1016/S0005-7894(04)80015-7.
15. Gifford EV, Kohlenberg BS, Hayes SC, Pierson H, Piasecki M, Antonuccio D, Palm K. Does acceptance and relationship focused behavior therapy contribute to bupropion outcomes? A randomized controlled trial of functional analytic psychotherapy and acceptance and commitment therapy for smoking cessation. *Behavior Therapy* in press.
16. Gilbert, P. & Irons, C. (2005). *Compassionate mind training, for shame and self-attacking, using cognitive, behavioral, emotional and imagery interventions*. In P. Gilbert (Ed.), *Compassion: Conceptualizations, research, and use in psychotherapy* (pp. 263-325). London: Brunner-Routledge.
17. Gotink, R. A., Chu, P., Busschbach, J. J., Benson, H., Fricchione, G. L., & Hunink, M. G. (2015). Standardised Mindfulness-Based Interventions in Healthcare: An Overview of Systematic Reviews and Meta-Analyses of RCTs. *Plos One*, *10*(4). doi:10.1371/journal.pone.0124344
18. Harman, R. & Lee, D. (2010), The role of shame and self-critical thinking in the development and maintenance of current threat in post-traumatic stress disorder. *Clinical Psychology & Psychotherapy*, *17*, 13–24. doi: 10.1002/cpp.636
19. Harned M. S., Korslund K. E., Linehan M. M. (2014). A pilot randomized controlled trial of Dialectical Behavior Therapy with and without the Dialectical Behavior Therapy Prolonged Exposure protocol for suicidal and self-injuring women with borderline personality disorder and PTSD. *Behav. Res. Ther.* *55*, 7–17. 10.1016/j.brat.2014.01.008
20. Harned M. S., Korslund K. E., Foa E. B., Linehan M. M. (2012). Treating PTSD in suicidal and self-injuring women with borderline personality disorder: development and preliminary evaluation of a Dialectical Behavior Therapy Prolonged Exposure Protocol. *Behav. Res. Ther.* *50*, 381–386. 10.1016/j.brat.2012.02.011
21. Hayes SC, Wilson KG, Gifford EV, Bissett R, Piasecki M, Batten SV, ... Gregg J. (2004). A randomized controlled trial of twelve-step facilitation and acceptance and commitment therapy

with polysubstance abusing methadone maintained opiate addicts. *Behavior Therapy*. 35:667–688. doi: 10.1016/S0005-7894(04)80014-5.

22. Kröger C., Schweiger U., Sipos V., Kliem S., Arnold R., Schunert T., et al. . (2010). Dialectical behaviour therapy and an added cognitive behavioural treatment module for eating disorders in women with borderline personality disorder and anorexia nervosa or bulimia nervosa who failed to respond to previous treatments. An open trial with a 15-month follow-up. *J. Behav. Ther. Exp. Psychiatry* 41, 381–388.
23. Kushner MG, Sher KJ. (1991). The relation of treatment fearfulness and psychological service utilization: An overview. *Professional Psychology: Research and Practice*. 22:196–203. doi: 10.1037/0735-7028.22.3.196.
24. Larimer, M. E., & Palmer, R. S. (1999). Relapse prevention: An overview of Marlatt's cognitive-behavioral model. *Alcohol research and Health*, 23(2), 151-160.
25. Lee, E. B., An, W., Levin, M. E., & Twohig, M. P. (2015). An initial meta-analysis of Acceptance and Commitment Therapy for treating substance use disorders. *Drug Alcohol Depend*, 155, 1-7. doi: 10.1016/j.drugalcdep.2015.08.004
26. Linehan M. M., Dimeff L. A., Reynolds S. K., Comtois K. A., Welch S. S., Heagerty P., et al. . (2002). Dialectical behavior therapy versus comprehensive validation therapy plus 12-step for the treatment of opioid dependent women meeting criteria for borderline personality disorder. *Drug Alcohol Depend*. 67, 13–26. 10.1016/S0376-8716(02)00011-X
27. Linehan M. M., Schmidt H., III., Dimeff L. A., Craft J. C., Kanter J., Comtois K. A. (1999). Dialectical behavior therapy for patients with borderline personality disorder and drug-dependence. *Am. J. Addict.* 8, 279–292.
28. LoudLizard. (2017, March 18). Common Cognitive Biases [Digital image]. Retrieved from https://commons.wikimedia.org/wiki/File:Common_Cognitive_Biases.png
29. Love is the Most Powerful Drug of All by Ben Kling. (n.d.). Retrieved September 24, 2018, from https://www.redbubble.com/people/benklings/collections/142707-love-is-the-most-powerful-drug-of-all?product_type=greeting-card
30. Luoma JB, Kohlenberg BS, Hayes SC, Fletcher L. (2012). Slow and Steady wins the race: a randomized clinical trial of acceptance and commitment therapy targeting shame in substance use disorders. *J Consult Clin Psychol* 80(1):43–53.10.1037/a0026070
31. Lynch T. R., Cheavens J. S., Cukrowicz K. C., Thorp S. R., Bronner L., Beyer J. (2007). Treatment of older adults with co-morbid personality disorder and depression: a dialectical behavior therapy approach. *Int. J. Geriatr. Psychiatry* 22, 131–143. 10.1002/gps.1703
32. Matos, M., Duarte, J., & Pinto-Gouveia, J. (2017). The origins of fears of compassion: Shame and lack of safeness memories, fears of compassion and psychopathology. *The Journal of Psychology*, 151, 804–819. <https://doi.org/10.1080/00223980.2017.1393380>.

33. Mohr CD, Brannan D, Mohr J, Armeli S, Tennen H. (2008). Evidence for positive mood buffering among college student drinkers. *Personality and Social Psychology Bulletin*. 34:1249–1259. doi: 10.1177/0146167208319385.
34. Neff, K. D., & Dahm, K. A. (2014). *Self-compassion: What it is, what it does, and how it relates to mindfulness*. In M. Robinson, B. Meier, & B. Ostafin (Eds.), *Mindfulness and self-regulation*. New York, NY: Springer.
35. Neff, K. D., & Germer, C. K. (2013). A pilot study and randomized controlled trial of the mindful self-compassion program. *Journal of Clinical Psychology*, 69(1), 28–44.
36. Neff, K. D. (2003). Self-compassion: An alternative conceptualization of a healthy attitude toward oneself. *Self and Identity*, 2, 85-102.
37. Ostafin BD, Marlatt GA. (2008). Surfing the urge: Experiential acceptance moderates the relation between automatic alcohol motivation and hazardous drinking. *Journal of Social and Clinical Psychology*. 27:404–418. Doi:
38. Otto, M. W., O'cleirigh, C. M., & Pollack, M. H. (2007). Attending to emotional cues for drug abuse: Bridging the gap between clinic and home behaviors. *Science & practice perspectives*, 3(2), 48.
39. Padykula, N. L., & Conklin, P. (2009). The Self Regulation Model of Attachment Trauma and Addiction. *Clinical Social Work Journal*, 38(4), 351-360. doi:10.1007/s10615-009-0204-6
40. Perlick DA, Rosenheck RA, Clarkin JF, Sirey JA, Salah J, Struening EL, Link BG. (2001). Stigma as a barrier to recovery: Adverse effects of perceived stigma on social adaptation of persons diagnosed with bipolar affective disorder. *Psychiatric Services*. 52:1627–1632. Doi:
41. Petersen CL, Zettle RD. (2009). Treating inpatients with comorbid depression and alcohol use disorders: A comparisons of acceptance and commitment therapy and treatment as usual. *Psychological Record*. 59:521–536.
42. Safer D. L., Telch C. F., Agras W. S. (2001). Dialectical behavior therapy for bulimia nervosa. *Am. J. Psychiatry* 158, 632–634. 10.1176/appi.ajp.158.4.632
43. Schindler, A., & Bröning, S. (2014). A Review on Attachment and Adolescent Substance Abuse: Empirical Evidence and Implications for Prevention and Treatment. *Substance Abuse*, 36(3), 304-313. doi:10.1080/08897077.2014.983586
44. Schindler, A., Thomasius, R., Petersen, K., & Sack, P. (2009). Heroin as an attachment substitute? Differences in attachment representations between opioid, ecstasy and cannabis abusers. *Attachment & Human Development*, 11(3), 307-330. doi:10.1080/14616730902815009
45. Sirey JA, Bruce ML, Alexopoulos GS, Perlick D, Friedman SJ, Meyers BS. (2001). Stigma as a barrier to recovery: Perceived stigma and patient-rated severity of illness as predictors of antidepressant drug adherence. *Psychiatric Services*. 2:1615–1620. doi: 10.1176/appi.ps.52.12.1615.

46. Steil R., Dyer A., Priebe K., Kleindienst N., Bohus M. (2011). Dialectical behavior therapy for posttraumatic stress disorder related to childhood sexual abuse: a pilot study of an intensive residential treatment program. *J. Trauma. Stress* 24, 102–106. 10.1002/jts.20617
47. Stoffers J. M., Völlm B. A., Rucker G., Timmer A., Huband N., Lieb K. (2012). *Psychological therapies for people with borderline personality disorder*. Cochrane Database Syst. Rev. 8:CD005652. 10.1002/14651858.CD005652.pub2
48. Teasdale, J. D. (1999). Metacognition, mindfulness and the modification of mood disorders. *Clinical Psychology & Psychotherapy*, 6(2), 146-155. doi:10.1002/(sici)1099-0879(199905)6:23.0.co;2-e
49. Telch C. F., Agras W. S., Linehan M. M. (2001). Dialectical behavior therapy for binge eating disorder. *J. Consult. Clin. Psychol.* 69, 1061–1065. 10.1037/0022-006X.69.6.1061
50. Tsangarides, L. (2017). *Dialectical Behavior Therapy: For More Than Borderline Personality Disorder*. Psych Central. Retrieved on October 14, 2018, from <https://psychcentral.com/blog/dialectical-behavior-therapy-for-more-than-borderline-personality-disorder/>
51. Twohig MP, Shoenberger D, Hayes SC. (2007). A preliminary investigation of acceptance and commitment therapy as a treatment for marijuana dependence in adults. *Journal of Applied Behavior Analysis*. 40:619–632.
52. Unterrainer, H., Hiebler-Ragger, M., Koschutnig, K., Fuchshuber, J., Tscheschner, S., Url, M., . . . Fink, A. (2017). Addiction as an Attachment Disorder: White Matter Impairment Is Linked to Increased Negative Affective States in Poly-Drug Use. *Frontiers in Human Neuroscience*, 11. doi:10.3389/fnhum.2017.00208
53. Wiechelt SA, Sales E. (2001). The role of shame in women's recovery from alcoholism: The impact of childhood sexual abuse. *Journal of Social Work Practice in the Addictions*. 1:101–116. doi: 10.1300/J160v01n04_07.
54. Zuroff, D. C., Santor, D. A., & Mongrain, M. (2005). *Dependency, self-criticism, and maladjustment*. In J. S. Auerbach, K. J. Levy, and C. E. Schaffer (Eds.), *Related-ness, self-definition and mental representation: Essays in honor of Sidney J. Blatt*. (pp. 75–90). Brunner-Routledge: Lo